


Aluminum price list 2003, Euro

SLS 5000



Sensors with 0.2m cable and DSUB connector – suited for DC Casting

Euro

- 812059 SLS 5200/300-AL wide spot, CLASS 3b, 0.2 m cable, DSUB
- 814512 SLS 5200/300-AL wide spot, CLASS 3r, 0.2m cable, DSUB

Sensors with 0.2m cable and DSUB connector – not for DC Casting

- 813374 SLS5200/300-AL wide spot, CLASS 2, 0.2m cable, DSUB
- 812060 SLS 5325/400-AL wide spot, CLASS 3b, 0.2 m cable, DSUB
- 813372 SLS 5325/400-AL wide spot, CLASS 2, 0.2m cable, DSUB
- 814364 SLS 5325/600-AL wide spot, CLASS 3b, 0.2m cable, DSUB
- 814405 SLS 5325/600-AL small spot, CLASS 2, 0.2m cable, DSUB
- 813296 SLS 5000-1000/1250-AL, small spot, CLASS 3b, 0.2 m cable, DSUB

Sensors with 0.2m cable and DSUB connector – metal with graphite layer

- 811154 SLS 5325/400-GR small spot, CLASS 3b, 0.2 m cable, DSUB

Sensors with 2.0m cable and IP65 connector – suited for DC Casting

Euro

- 812064 SLS 5200/300-AL wide spot, CLASS 3b, 2 m cable, IP65

Sensors with 2.0m cable and IP65 connector – not for DC Casting

- 812065 SLS 5325/400-AL wide spot, CLASS 3b, 2 m cable, IP65
- 813887 SLS 5325/400-AL wide spot, CLASS 2, 2 m cable, IP65
- 814436 SLS 5325/600-AL wide spot, CLASS 3b, 2 m cable, IP65

SLS 5000 Heat Shields for SLS with DSUB connector

A complete kit consists of

- Laser sensor
- Heat shield
- Hose and Cable kit of desired length
- Mating connector



812267 SLS5000 Heat shield v3, without hose (for SLS with 0.2m DSUB cable)

Euro




809871 SLS AL Heat shield Hose and cable kit 0.75m
809872 SLS AL Heat shield Hose and cable kit 1.0m
809873 SLS AL Heat shield Hose and cable kit 1.5m
809874 SLS AL Heat shield Hose and cable kit 2.0m

Euro



Standard version
809925 Mating connector kit 16p, for SLS (housing, PG21)

Euro



For DC Caster installations only
809926 Mating connector kit 16p, for SLS (bulkhead, only for connector beams)

Euro

SLS 5000 Heat Shields for SLS with IP65 connector

A complete kit consists of

- Laser sensor
- Heat shield with 1.8m hose
- Mating connector



812098 SLS5000 Heat shield, with 1.8 m hose kit (for SLS with 2.0m IP65 cable)

Euro



808655 IP65 Mating connector (for soldering)

Euro

Spare parts for SLS5000 Heat Shields



Each Heat Shield uses 4 bolt kits
811600 Bolt kit for SLS5000 Heat Shield

Euro
20



Insert for Hose and Cable kit (for sensors with DSUB connector)
811298 Male 16pin connector insert

Euro



Cable inside Hose and Cable kit (for sensors with DSUB connector)

Can also be used as a extension cord

Note that cable for non-standard Hose and Cable kits shall be 0.25m longer than the specified Hose and Cable kit length

Euro


- 811870 Cable SLS (DSUB) – terminal ends For 0.75m Hose and Cable kit
- 811871 Cable SLS (DSUB) – terminal ends For 1.0m Hose and Cable kit
- 811872 Cable SLS (DSUB) – terminal ends For 1.5m Hose and Cable kit
- 811873 Cable SLS (DSUB) – terminal ends For 2.0m Hose and Cable kit
- 814496 Cable SLS (DSUB) – terminal ends **Specify length !!!!!**



809363 DSUB Mating Connector

Euro

Pin Position Actuator



Euro

- 809792 Actuator AL, Standard

- 809936 Actuator AL Arm, standard L=120-340 mm

- 809875 Actuator AL Cable kit 0.75m
- 809876 Actuator AL Cable kit 1.0 m
- 809877 Actuator AL Cable kit 1.5m
- 809878 Actuator AL Cable kit 2.0m

- 809879 Actuator AL Air hose kit 0.75m
- 809880 Actuator AL Air hose kit 1.0m
- 809881 Actuator AL Air hose kit 1.5m
- 809882 Actuator AL Air hose kit 2.0m

- 811622 Actuator AL Rod Holder

- 809883 Actuator AL Mounting plate

- 809884 Actuator AL Pneumatic Box

- 809939 Mating connector kit 10p, for actuator (housing, PG16)
- 809937 Mating connector kit 10p, for actuator (bulkhead, only for connector beams)

Stationary Furnace Tap-out Actuator




Note that LMI Selcom doesn't deliver the control rod!

- 813600 Stationary Furnace Tap-out Actuator
- 813601 Pneumatic box for Tap-out Actuator

Euro

Over Pour Protection



- 812899 Over Pour Protection 230V AC
- 813857 Over Pour protection 115V AC

Euro